Slides are available on my website.
http://lukaseigentler.github.io

Can we predict wavelength changes of banded vegetation patterns?

MODIS 2026

26 January 2026

Lukas Eigentler (University of Warwick, UK)

joint work with Mattia Sensi (University of Trento, Italy)

Stripe patterns

Banded vegetation patterns and intertidal mussel beds are classic examples of self-organisation principles in ecology.

Vegetation stripes in Ethiopia.

Intertidal mussel beds in the Wadden Sea.

- Parallel to topographic contours and shoreline.
- Caused by a scale-dependent feedback loop comprising long-range competition for a limiting resource and short-range facilitation.

Klausmeier model for vegetation patterns

One of the most basic phenomenological models for vegetation patterns is the extended Klausmeier reaction-advection-diffusion model.[1]

$$\frac{\partial u}{\partial t} = \overbrace{u^2 w}^{\text{plant growth}} - \overbrace{Bu}^{\text{plant loss}} + \overbrace{\frac{\partial^2 u}{\partial x^2}}^{\text{plant dispersal}},$$

$$\frac{\partial w}{\partial t} = \underbrace{A}_{\text{rainfall}} - \underbrace{w}_{\text{evaporation}} - \underbrace{u^2 w}_{\substack{\text{water uptake}\\ \text{by plants}}} + \underbrace{\nu \frac{\partial w}{\partial x}}_{\substack{\text{water flow}\\ \text{downhill}}} + \underbrace{d \frac{\partial^2 w}{\partial x^2}}_{\substack{\text{water}\\ \text{diffusion}}}.$$

[1] Klausmeier, C. A.: *Science* 284.5421 (1999).

Klausmeier model for vegetation patterns

One of the most basic phenomenological models for vegetation patterns is the extended Klausmeier reaction-advection-diffusion model.

$$\frac{\partial u}{\partial t} = \overbrace{u^2 w}^{\text{plant growth}} - \overbrace{Bu}^{\text{plant loss}} + \overbrace{\frac{\partial^2 u}{\partial x^2}}^{\text{plant dispersal}},$$

$$\frac{\partial w}{\partial t} = \underbrace{A}_{\text{rainfall}} - \underbrace{w}_{\text{evaporation}} - \underbrace{u^2 w}_{\substack{\text{water uptake}\\ \text{by plants}}} + \underbrace{\nu \frac{\partial w}{\partial x}}_{\substack{\text{water flow}\\ \text{downhill}}} + \underbrace{d \frac{\partial^2 w}{\partial x^2}}_{\substack{\text{water}\\ \text{diffusion}}}.$$

Water uptake



Infiltration capacity increases with plant density[2]

The nonlinearity in the water uptake and plant growth terms arises because plants increase the soil's water infiltration capacity.

$\Rightarrow$Water uptake = Water density x plant density x infiltration rate.

[2] Rietkerk, M. et al.: *Plant Ecol.* 148.2 (2000)

Klausmeier model for vegetation patterns

One of the most basic phenomenological models is the extended Klausmeier reaction-advection-diffusion model.[3]

$$\frac{\partial u}{\partial t} = \overbrace{u^2 w}^{\text{plant growth}} - \overbrace{Bu}^{\text{plant loss}} + \overbrace{\frac{\partial^2 u}{\partial x^2}}^{\text{plant dispersal}},$$

$$\frac{\partial w}{\partial t} = \underbrace{A}_{\text{rainfall}} - \underbrace{w}_{\text{evaporation}} - \underbrace{u^2 w}_{\substack{\text{water uptake}\\ \text{by plants}}} + \underbrace{\nu \frac{\partial w}{\partial x}}_{\substack{\text{water flow}\\ \text{downhill}}} + \underbrace{d \frac{\partial^2 w}{\partial x^2}}_{\substack{\text{water}\\ \text{diffusion}}}.$$

[3] Klausmeier, C. A.: *Science* 284.5421 (1999).

Periodic travelling waves



alternative video link.

- Model represents vegetation patterns as periodic travelling waves (PTWs).

Uphill movement in ecology

Timeseries data.[4]



Uphill migration due to water gradient.[5]

- Data shows that vegetation stripes can move uphill ($< 1m$ per year).

[4] Gandhi, P. et al.: *Dryland ecohydrology*. Springer International Publishing, 2019, pp. 469–509.
[5] Dunkerley, D.: *Desert* 23.2 (2018).

Periodic travelling waves



alternative video link.



- Model represents vegetation patterns as periodic travelling waves (PTWs).
- Along rainfall gradient, transition from uniform vegetation to desert occurs via several pattern transitions.

Wavelength changes

- State-of-the-art: predict wavelength changes through PTW stability properties.
- PTW linear stability is determined by their essential spectra.
- Calculated using numerical continuation.[a]

[a] Rademacher, J. D., Sandstede, B. and Scheel, A.: *Physica D* 229.2 (2007).



Wavelength changes

- State-of-the-art: predict wavelength changes through PTW stability properties.
- PTW linear stability is determined by their essential spectra.
- Calculated using numerical continuation.[a]
- Wavelengths changes are typically predicted through the *Busse balloon*: parameter space of stable PTWs.

[a] Rademacher, J. D., Sandstede, B. and Scheel, A.: *Physica D* 229.2 (2007).



Wavelength changes

- Wavelengths are preserved, provided they remain stable.
- Upon destabilisation a wavelength change occurs.





Wavelength changes



alternative video link.

- Significant delays between crossing a stability boundary and observing wavelength changes occur.

Delays to wavelength changes



- Significant delays between crossing a stability boundary and observing wavelength changes occur.
- Order of magnitude differences in delay depending on parameter values.

Predicting delays

Can predict the order of magnitude of the delay through the accumulated maximal instability[6]

$$\overline{\mu}(A(t)) = \int_{t_{\text{stab}}}^{t} \mu(\tau) d\tau, \quad t \geq t_{\text{stab}}.$$

t_{stab} is the time of the last crossing of the stability boundary.
$\mu(t)$ is the max real part of the spectrum at time t.



[6] EL and Sensi, M.: *Journal of Theoretical Biology* 595 (2024).

Predicting delays

Can predict the order of magnitude of the delay through the accumulated maximal instability[6]

$$\overline{\mu}(A(t)) = \int_{t_{\text{stab}}}^{t} \mu(\tau) d\tau, \quad t \geq t_{\text{stab}}.$$

t_{stab} is the time of the last crossing of the stability boundary.
$\mu(t)$ is the max real part of the spectrum at time t.



Wavelength change occurs when $\overline{\mu} \approx 10$

[6] EL and Sensi, M.: *Journal of Theoretical Biology* 595 (2024).

Delay prediction in practice



Delay prediction in practice



Delay prediction reset in stable regions









Conclusions

- Wavelength changes that occur after crossing a stability boundary are subject to a delay.



Conclusions

- Wavelength changes that occur after crossing a stability boundary are subject to a delay.



Conclusions

- Wavelength changes that occur after crossing a stability boundary are subject to a delay.
- Order of magnitude of the delay can be predicted by tracking the maximum real part of the spectrum of the destabilised pattern over time.



Conclusions

- Wavelength changes that occur after crossing a stability boundary are subject to a delay.
- Order of magnitude of the delay can be predicted by tracking the maximum real part of the spectrum of the destabilised pattern over time.
- Open question: What new wavelength is chosen?



Wavelength changes

- Open question: What new wavelength is chosen?
- For fixed PDE parameters, there is multistability of different periodic travelling waves.



Linear analysis insufficient

- Created a large dataset of wavelength changes through simulations.
- Compared wavelength change dynamics with features of essential spectra.
- Suggests that linear analysis is insufficient to characterise wavelength changes.



Some selection data

- Large areas of Busse balloon remain unselected.
- Extinction does not necessarily occur at the edge of the Busse balloon.



What next?

- What (new) methods do we need to understand periodic travelling wave wavelength selection?
- Similar trends observed for mussel model $\Rightarrow$ is it possible to derive principles applicable to a wider class of models?
- Do we have empirical evidence of wavelength changes in dryland vegetation patterns?

References

Slides are available on my website.
`http://lukaseigentler.github.io`

[1] Eigentler, L. and Sensi, M.: 'Wavelength selection for periodic travelling waves: an unsolved problem'. *Bull. Math. Biol.* (in press).

[2] Eigentler, L. and Sensi, M.: 'Delayed loss of stability of periodic travelling waves: insights from the analysis of essential spectra'. *Journal of Theoretical Biology* 595 (2024), p. 111945.